Unified Infrastructure Management Compatibility Matrix

April 4, 2016

Legal Notices

Contact CA

For your convenience, CA provides a single site where you can access information about all CA products.

At http://support.ca.com, you can access the following:

- Contact information for technical assistance and customer services
- User communities and forums
- Documentation and product downloads
- CA support policies and guidelines
- Product knowledge articles
- Other helpful resources appropriate for your product

If you are a new or existing customer you can contact our Customer Care team who can connect you to the right resources to address your needs

Contents

Compatibility Matrix

Component	UMP 8.4	UMP 8.31	UMP 8.2	UMP 8.1	UMP 8.0	UIM 8.4	UIM 8.31	UIM 8.2	UIM 8.1	UIM 8.0
UR 8.4	yes	X	X	X	X	yes	X	X	X	X
UR 8.31	X	yes	X	X	X	X	yes	X	X	X
UR 8.0	X	X	yes	yes	yes	X	X	yes	yes	yes
UIM 8.4	yes	X	X	X	X					
UIM 8.31	X	yes	X	X	X					
UIM 8.2	X	X	yes	X	X					
UIM 8.1	X	X	X	yes	X					
UIM 8.0	X	X	X	X	yes					

Supported Upgrade Paths

This page highlights migration paths that are supported for the Unified Infrastructure Management components.

Unified Infrastructure Manager (UIM)

UIM 8.31	→	UIM 8.4
UIM 8.2	→	UIM 8.4
UIM 8.1	→	UIM 8.4
UIM 8.0	→	UIM 8.4

Unified Management Portal (UMP)

UMP 8.31	→	UMP 8.4
UMP 8.2	→	UMP 8.4
UMP 8.1	→	UMP 8.4
UMP 8.0	→	UMP 8.4

Unified Reporter

UR 8.31	→	UR 8.4
UR 8.0	→	UR 8.4

Component Support Matrix

	Operating systems			Browsers			Databases			Java JRE
	Windows (64 bit)	Solaris (64 bit)	Linux (64 bit)	IE	Firefox	Chrome	Oracle	MySQL	MSSQL	
UIM/UMP 8.4	2008, 2008 (R2) SP1 2012, 2012 (R2)	10/11 SPARC and x86	Red Hat 6, 7 CentOS 6, 7 SLES 11 OpenSuse 12, 13	11	34-44	32-48	11.2 12	5.5, 5.6	2008 R2 2012 2014	Java 7
UIM/UMP 8.31	2008, 2008 (R2) SP1 2012, 2012 (R2)	10/11 SPARC and x86	Red Hat 6, 7 CentOS 6, 7 SLES 11 OpenSuse 12, 13	9, 10, 11*	34-40	32-44	11.2 12	5.5, 5.6	2008 R2 2012 2014	Java 7
UIM/UMP 8.2	2008, 2008 (R2) SP1 2012, 2012 (R2)	10/11 SPARC and x86	Red Hat 6, 7 CentOS 6, 7 SLES 11 OpenSuse 12, 13	9, 10, 11*	26-36	32-40	11.2	5.5, 5.6	2008 R2 2012 2014	Java 7
UIM/UMP 8.1	2008, 2008 (R2) SP1 2012, 2012 (R2)	10/11 SPARC and x86	Red Hat 5, 6 CentOS 5, 6 SLES 11, 12	9, 10	24-34	28-39	11.2	5.5, 5.6	2008 R2 2012	Java 7
UIM/UMP 8.0	2008, 2008 (R2) SP1 2012, 2012 (R2)	10/11 SPARC and x86	Red Hat 5, 6 CentOS 5, 6 SLES 11, 12	9, 10	24-32	28-37	11.2	5.5, 5.6	2008 R2 2012	Java 7

* In UIM 8.2 and 8.31 versions of the product there a known issue importing probes to the local archive using IE11 within the AdminConsole UI. This has been addressed in the 8.4 version of AdminConsole, but will still be an issue with older versions of UIM and an alternate browser or IM will need to be used.

ADE

Supported Operating Systems			Robot Deployment using the Automated Deployment Engine (ADE) Probe						
			Deploy *from* (ADE host system, typically the NMS primary hub)						
			Windows Server		Linux			Solaris (10, 11)	
			2008 2008(R2) SP1	2012 2012(R2)	RHEL 6, 7	SLES 11 OpenSuSE 12, 13	CentOS 6, 7	SPARC	x86, x86_64
Deploy *to* (target system)	Windows	7 32-bit	Yes		Note 1			Note 1	
		7 64-bit	Yes		Note 1			Note 1	
		8 32-bit	Yes		Note 1			Note 1	
		8 64-bit	Yes		Note 1			Note 1	
		2003 32-bit	Yes		Note 1			Note 1	
		2003 64-bit	Yes		Note 1			Note 1	
		2008 32-bit	Yes		Note 1			Note 1	
		2008 64-bit	Yes		Note 1			Note 1	
		2012 64-bit	Yes		Note 1			Note 1	

Unified Infrastructure Management Compatibility Matrix- CA Technologies

	Linux	RHEL 5	**Yes**	**Yes**	**Yes**
		RHEL 6			
		RHEL 7			
		SUSE 11			
		SUSE 12			
		CentOS 5			
		CentOS 6			
		CentOS 7			
		Debian 5			
		Debian 6			
		Ubuntu 12			
		Ubuntu 14			
	zLinux *Note 2*	RHEL-6 (64 bit)	**Yes**	**Yes**	**Yes**
		SLES-11 (64 bit)			
	Solaris	Sol 10 & 11 SPARC 64	**Yes**	**Yes**	**Yes**
		Sol 10 & 11 x86, x86_64			
	HPUX	HPUX 11	**Yes**	**Yes**	**Yes**
	AIX	6.1 PowerPC 64 bit	**Yes**	**Yes**	**Yes**
		6.2 PowerPC 64 bit			

		7.0 PowerPC 64 bit			
		7.1 PowerPC 64 bit			
		Note 1: A Linux or Solaris primary NMS hub can deploy Windows robots as long as a Windows hub is in the middle so ADE can run Windows to Windows commands.			
		Note 2: The robot is deployed using the "Bulk Deployment with the ADE Probe" mode only. See CA Unified Infrastructure Management Installation Guide for specific instructions.			